


	1			
DESIG	A A	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CANAD	
CHEC		APPROVED	DRAWING NO.	REV. B
(H		D3518	SHEET 1 OF 3
DATE			TITLE	SCALE
 06.1	0.23		BASKET (A119) STRUT	1:3
Α		06.06.21	NEW ISSUE	
В		06.10.23	RE-DESIGN	



D3518-041 STRUT ASSEMBLY

QTY -041	Part Number	Description			
Х	D3518-041	STRUT ASSEMBLY			
2	D2324-5	STRUT PLATE			
1	D3518-1	STRUT			
1	D3518-3	STAINLESS STEEL BALL JOINT ROD END			
2	AN3-13A	BOLT			
1	AN316C6R	NUT			
4	AN960JD10	WASHER			
2	MS21042L3	NUT			

NOTES:


1) IDENTIFY WITH DART P/N "D3518-041" USING FINE POINT PERMANENT INK MARKER




Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3518-1 STRUT

NOTES:

- 1) MATERIAL: M6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM HEX BAR PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR PER AMS-QQ-A-200/8 (OR AMS 4160)
 - (REF DART MATERIAL SPEC M6061T6H0.875)
- 2) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES 0.005 TO 0.010 MAX




Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECKED	APPROVED/	DRAWING NO.	REV. B		
PH		D3518	SHEET 3 OF 3		
DATE		TITLE	SCALE		
06.10.23		BASKET (A119) STRUT	1:1		

SPECIFICATION CONTROL DRAWING



	DART P/N	Α	В	С	D	Е	F	LOAD*	POSSIBLE SUPPLIER
	D3518-3	0.375	1.00	0.50	1.938	1.25	3/8-24	4012	McMASTER-CARR,
L							UNF, RH		P/N 2458K14
Г									

^{*} Indicated load is Static Radial Load Capacity in lbs

- 1) TYPE: MALE THREADED SHANK CARBON-FIBER-REINFORCED PLASTIC RACE BALL JOINT ROD END
- 2) MATERIAL: ZINC PLATED STEEL HOUSING BALL WITH PTFE LUBRICATED CARBON-FIBER-REINFORCED PLASTIC RACE.
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES